Information Systems

An Overview of Database Management

Temur Kutsia

Research Institute for Symbolic Computation
Johannes Kepler University of Linz, Austria
kutsia@risc.uni-linz.ac.at

Outline

Outline

Introduction

Goal of if this lecture:

- Explain what a database system is and why database systems are desirable.
- Briefly discuss the difference between relational systems and others.

Introduction

- Database system: a computerized record-keeping system.

Introduction

- Database system: a computerized record-keeping system.
- Database: a repository or a container for a collection of computerized data files.

Introduction

- Database system: a computerized record-keeping system.
- Database: a repository or a container for a collection of computerized data files.
- Operations on databases:
  - Adding new files to the database
  - Inserting data into existing files
  - Retrieving data from existing files
  - Deleting data from existing files
  - Changing data in existing files
  - Removing existing files from the database
  - etc.

Introduction

Example (The Wine Cellar Database)

BIN#	WINE	PRODUCER	YEAR	BOTTLES	READY
2	Chardonnay	Buena Vista	2001	1	2003
6	Chardonnay	Simi	2000	4	2000
12	Joh. Riesling	Jekel	2002	1	2003
21	Fumè Blanc	Ch. St. Jean	2002	4	2003
43	Cab. Sauv.	Windsor	1995	12	2004
51	Pinot Noir	Fetzer	1997	3	2004
58	Merlot	Clos du Bois	1998	9	2004

File CELLAR

Introduction

Example (The Wine Cellar Database)

BIN#	WINE	PRODUCER	YEAR	BOTTLES	READY
2	Chardonnay	Buena Vista	2001	1	2003
6	Chardonnay	Simi	2000	4	2000
12	Joh. Riesling	Jekel	2002	1	2003
21	Fumè Blanc	Ch. St. Jean	2002	4	2003
43	Cab. Sauv.	Windsor	1995	12	2004
51	Pinot Noir	Fetzer	1997	3	2004
58	Merlot	Clos du Bois	1998	9	2004

File CELLAR

Retrieval:

```
SELECT    WINE, BIN#, PRODUCER
FROM      CELLAR
WHERE     READY = 2004 ;
```

WINE	BIN#	PRODUCER
Cab. Sauv.	43	Windsor
Pinot Noir	51	Fetzer
Merlot	58	Clos du Bois

Introduction

Example (The Wine Cellar Database)

BIN#	WINE	PRODUCER	YEAR	BOTTLES	READY
2	Chardonnay	Buena Vista	2001	1	2003
6	Chardonnay	Simi	2000	4	2000
12	Joh. Riesling	Jekel	2002	1	2003
21	Fumè Blanc	Ch. St. Jean	2002	4	2003
43	Cab. Sauv.	Windsor	1995	12	2004
51	Pinot Noir	Fetzer	1997	3	2004
58	Merlot	Clos du Bois	1998	9	2004

File CELLAR

Inserting new data:

```
INSERT
INTO      CELLAR ( BIN#, WINE, PRODUCER, YEAR, BOTTLES, READY )
VALUES    ( 53, 'Pinot Noir', 'Saintsbury', 2001, 6, 2005 ) ;
```

Introduction

Example (The Wine Cellar Database)

BIN#	WINE	PRODUCER	YEAR	BOTTLES	READY
2	Chardonnay	Buena Vista	2001	1	2003
6	Chardonnay	Simi	2000	4	2000
12	Joh. Riesling	Jekel	2002	1	2003
21	Fumè Blanc	Ch. St. Jean	2002	4	2003
43	Cab. Sauv.	Windsor	1995	12	2004
51	Pinot Noir	Fetzer	1997	3	2004
58	Merlot	Clos du Bois	1998	9	2004

File CELLAR

Deleting existing data:

```
DELETE
FROM        CELLAR
WHERE       BIN# = 2 ;
```

Introduction

Example (The Wine Cellar Database)

BIN#	WINE	PRODUCER	YEAR	BOTTLES	READY
2	Chardonnay	Buena Vista	2001	1	2003
6	Chardonnay	Simi	2000	4	2000
12	Joh. Riesling	Jekel	2002	1	2003
21	Fumè Blanc	Ch. St. Jean	2002	4	2003
43	Cab. Sauv.	Windsor	1995	12	2004
51	Pinot Noir	Fetzer	1997	3	2004
58	Merlot	Clos du Bois	1998	9	2004

File CELLAR

Changing existing data:

```
UPDATE      CELLAR
SET         BOTTLES = 4
WHERE       BIN# = 43 ;
```

Introduction

- SELECT, INSERT, DELETE, UPDATE are called statements, commands, or operators.

Introduction

- SELECT, INSERT, DELETE, UPDATE are called statements, commands, or operators.
- In the previous example they are expressed in a language called SQL.

Introduction

- SELECT, INSERT, DELETE, UPDATE are called statements, commands, or operators.
- In the previous example they are expressed in a language called SQL.
- The Term update sometimes refers to the three operators: INSERT, DELETE, UPDATE. Do not confuse!

Introduction

- SELECT, INSERT, DELETE, UPDATE are called statements, commands, or operators.
- In the previous example they are expressed in a language called SQL.
- The Term update sometimes refers to the three operators: INSERT, DELETE, UPDATE. Do not confuse!
- Terminology. The same things are referred differently in different contexts:
  - Files, records, fields (when talking about database systems in general).
  - Tables, rows, columns (when talking about SQL systems).
  - Relations, tuples, attributes (in more formal discussions).

Introduction

- In the CELLAR table the columns WINE and PRODUCER contain character-string data.

Introduction

- In the CELLAR table the columns WINE and PRODUCER contain character-string data.
- All other columns contain integer data.

Introduction

- In the CELLAR table the columns WINE and PRODUCER contain character-string data.
- All other columns contain integer data.
- However, columns may contain data of arbitrary complexity.

Introduction

- In the CELLAR table the columns WINE and PRODUCER contain character-string data.
- All other columns contain integer data.
- However, columns may contain data of arbitrary complexity.
- We might extend the CELLAR table to include additional columns:
  - LABEL (photo of the bottle label).
  - REVIEW (review text from some wine magazine).
  - MAP (showing where the wine comes from).
  - AUDIO (recording containing our own tasting notes).
  - etc.

Introduction

- In the CELLAR table the columns WINE and PRODUCER contain character-string data.
- All other columns contain integer data.
- However, columns may contain data of arbitrary complexity.
- We might extend the CELLAR table to include additional columns:
  - LABEL (photo of the bottle label).
  - REVIEW (review text from some wine magazine).
  - MAP (showing where the wine comes from).
  - AUDIO (recording containing our own tasting notes).
  - etc.
- Column data types.

Introduction

- Column BIN# constitutes the primary key for the table CELLAR.

Introduction

- Column BIN# constitutes the primary key for the table CELLAR.
- Meaning: No two CELLAR rows ever contain the same BIN# value.

Introduction

- Column BIN# constitutes the primary key for the table CELLAR.
- Meaning: No two CELLAR rows ever contain the same BIN# value.
- We use underlining to indicate primary key columns.

Outline

Database Systems

- Database system: computerized record-keeping system.
- Four major components:
  - data,
  - hardware,
  - software,
  - users.

Data

- Database systems are available on machines of different size and power.

Data

- Database systems are available on machines of different size and power.
- Systems on large machines tend to be multi-user, on smaller machines – single-user.

Data

- Database systems are available on machines of different size and power.
- Systems on large machines tend to be multi-user, on smaller machines – single-user.
- Multi-user systems: many users can access the database at the same time.

Data

- Database systems are available on machines of different size and power.
- Systems on large machines tend to be multi-user, on smaller machines – single-user.
- Multi-user systems: many users can access the database at the same time.
- Single-user systems: at most one user can access the database at the same time.

Data

- Database systems are available on machines of different size and power.
- Systems on large machines tend to be multi-user, on smaller machines – single-user.
- Multi-user systems: many users can access the database at the same time.
- Single-user systems: at most one user can access the database at the same time.
- The distinction is largely irrelevant as far as most of the users are concerned.

Data

- Database systems are available on machines of different size and power.
- Systems on large machines tend to be multi-user, on smaller machines – single-user.
- Multi-user systems: many users can access the database at the same time.
- Single-user systems: at most one user can access the database at the same time.
- The distinction is largely irrelevant as far as most of the users are concerned.
- Special problems of multi-user systems mainly are internal to the systems.

Data

- Database systems are available on machines of different size and power.
- Systems on large machines tend to be multi-user, on smaller machines – single-user.
- Multi-user systems: many users can access the database at the same time.
- Single-user systems: at most one user can access the database at the same time.
- The distinction is largely irrelevant as far as most of the users are concerned.
- Special problems of multi-user systems mainly are internal to the systems.
- Data in the system can be stored in a single database, or can be split across several databases.

Data

- Data in the database is in general both integrated and shared.

Data

- Data in the database is in general both integrated and shared.
- Integrated database:
  - unification of several distinct files,
  - any redundancy among those files partly or wholly eliminated.

Data

- Data in the database is in general both integrated and shared.
- Integrated database:
  - unification of several distinct files,
  - any redundancy among those files partly or wholly eliminated.
- Shared database:
  - sharing among different users,
  - different users can access the same data, maybe at the same time.

Data

Example (Integrated Database)

- Database containing an EMPLOYEE file and an ENROLLMENT file.

Data

Example (Integrated Database)

- Database containing an EMPLOYEE file and an ENROLLMENT file.
- The EMPLOYEE file contains data about employee names, addresses, salaries, etc:

NAME	ADDRESS	DEPARTMENT	SALARY	...

Data

Example (Integrated Database)

- Database containing an EMPLOYEE file and an ENROLLMENT file.
- The EMPLOYEE file contains data about employee names, addresses, salaries, etc:

NAME	ADDRESS	DEPARTMENT	SALARY	...

- The ENROLLMENT file contains data about the enrollment of employees in training courses:

NAME	COURSE	...

Data

Example (Integrated Database)

- Database containing an EMPLOYEE file and an ENROLLMENT file.
- The EMPLOYEE file contains data about employee names, addresses, salaries, etc:

NAME	ADDRESS	DEPARTMENT	SALARY	...

- The ENROLLMENT file contains data about the enrollment of employees in training courses:

NAME	COURSE	...

- Assume the courses administration needs to know the department for each enrolled student.

Data

Example (Integrated Database)

- Database containing an EMPLOYEE file and an ENROLLMENT file.
- The EMPLOYEE file contains data about employee names, addresses, salaries, etc:

NAME	ADDRESS	DEPARTMENT	SALARY	...

- The ENROLLMENT file contains data about the enrollment of employees in training courses:

NAME	COURSE	...

- Assume the courses administration needs to know the department for each enrolled student.
- No need to include this information in the ENROLLMENT file. Can be discovered in the EMPLOYEE file.

Data

In integrated and shared databases

- any given user is concerned with a small portion of the total database,
- different users' portions will overlap in various ways,
- even if two users share the same portion of the database, their views might be different.

Hardware

- The secondary storage volumes, together with the associated I/O devices, device controllers, etc.
- The hardware processor(s) and associated main memory.

Not considered in this course.

Software

- The Database management system (DBMS): a layer of software between the physical database and the users.
- DBMS
  - handles all requests to the database,
  - shields users from hardware-level details,
  - is the most important software component of the system.
- Other software components: utilities, application development tools, design aids, transaction manager, etc.

Sometimes people use the term *database* instead of *DBMS*. Do not confuse!

Users

Three classes of users:

- Application programmers:
- End users:
- Database administrator.

Users

Three classes of users:

- Application programmers: Write applications in some programming language, which then access the database by issuing a request (SQL statement) to the DBMS.
- End users:

- Database administrator.

Users

Three classes of users:

- Application programmers: Write applications in some programming language, which then access the database by issuing a request (SQL statement) to the DBMS.
- End users: Access the database interactively, via online application or using a system interface.

- Database administrator.

Users

Three classes of users:

- Application programmers: Write applications in some programming language, which then access the database by issuing a request (SQL statement) to the DBMS.
- End users: Access the database interactively, via online application or using a system interface.
  - Most systems include at least one built-in application, query language processor.
  - Most systems provide additional built-in interfaces, to help end users choose items from a menu or fill in a form, in contrast of issuing explicit database requests: menu- or forms-driven interfaces vs command-driven interfaces.
- Database administrator.

Outline

Persistent Data

- The data in a database persists because

Persistent Data

- The data in a database persists because
  - once it has been accepted by the DBMS for entry into the database,

Persistent Data

- The data in a database persists because
  - once it has been accepted by the DBMS for entry into the database,
  - it can subsequently be removed from the database only by some explicit request, not a mere side effect.

Persistent Data

- The data in a database persists because
  - once it has been accepted by the DBMS for entry into the database,
  - it can subsequently be removed from the database only by some explicit request, not a mere side effect.

Database

A database is a collection of persistent data that is used by the application systems of some given enterprize.

Entities and Relationships

Example

Manufacturing company records information about:

Entities and Relationships

Example

Manufacturing company records information about:

- its *projects*,

Entities and Relationships

Example

Manufacturing company records information about:

- its *projects*,
- the *parts* that are used in those projects,

Entities and Relationships

Example

Manufacturing company records information about:

- its *projects*,
- the *parts* that are used in those projects,
- the *suppliers* who supply parts,

Entities and Relationships

Example

Manufacturing company records information about:

- its *projects*,
- the *parts* that are used in those projects,
- the *suppliers* who supply parts,
- the *warehouses* where the parts are stored,

Entities and Relationships

Example

Manufacturing company records information about:

- its *projects*,
- the *parts* that are used in those projects,
- the *suppliers* who supply parts,
- the *warehouses* where the parts are stored,
- the *employees* who work in the projects,
- etc.

Entities and Relationships

Example

Manufacturing company records information about:

- its *projects*,
- the *parts* that are used in those projects,
- the *suppliers* who supply parts,
- the *warehouses* where the parts are stored,
- the *employees* who work in the projects,
- etc.

Projects, parts, suppliers, warehouses, employees: basic entities.

Entities and Relationships

Example (Cont.)

In addition to basic entities, the company keeps information about relationships linking those basic entities together:

Entities and Relationships

Example (Cont.)

In addition to basic entities, the company keeps information about relationships linking those basic entities together:

- each supplier *supplies* certain parts,

Entities and Relationships

Example (Cont.)

In addition to basic entities, the company keeps information about relationships linking those basic entities together:

- each supplier *supplies* certain parts,
- each part is *supplied* by some supplier,

Entities and Relationships

Example (Cont.)

In addition to basic entities, the company keeps information about relationships linking those basic entities together:

- each supplier *supplies* certain parts,
- each part is *supplied* by some supplier,
- parts are *used* in projects,

Entities and Relationships

Example (Cont.)

In addition to basic entities, the company keeps information about relationships linking those basic entities together:

- each supplier *supplies* certain parts,
- each part is *supplied* by some supplier,
- parts are *used* in projects,
- projects *use* parts,
- etc.

Entities and Relationships

Example (Cont.)

In addition to basic entities, the company keeps information about relationships linking those basic entities together:

- each supplier *supplies* certain parts,
- each part is *supplied* by some supplier,
- parts are *used* in projects,
- projects *use* parts,
- etc.

Binary (and bidirectional) relationships.

Entities and Relationships

Example (Cont.)

In addition to basic entities, the company keeps information about relationships linking those basic entities together:

- each supplier *supplies* certain parts,
- each part is *supplied* by some supplier,
- parts are *used* in projects,
- projects *use* parts,
- etc.

Binary (and bidirectional) relationships.

- Ternary relationship: each supplier supplies certain parts to certain projects.

Entities and Relationships

Example (Cont.)

In addition to basic entities, the company keeps information about relationships linking those basic entities together:

- each supplier *supplies* certain parts,
- each part is *supplied* by some supplier,
- parts are *used* in projects,
- projects *use* parts,
- etc.

Binary (and bidirectional) relationships.

- Ternary relationship: each supplier supplies certain parts to certain projects.
- Not equivalent to three binary relationships: supplier supplies parts, parts are used in projects, and projects are supplied by suppliers. (Why?)

Entities and Relationships

Important:

- Relationships are just as much a part of the data as are the basic entities.
- They must be represented in the database, like the basic entities.
- A relationship can be regarded as an entity in its own right.

Entities and Relationships

Entity/Relationship (E/R) diagram from the previous example:



Representation:

- Entities by rectangles.
- Relationships by diamonds and connecting lines.

Properties

- Entities (relationships included) can be regarded as having properties.
- Properties correspond to the information we wish to record about entities.
- Examples of properties: weight of a part, priority of a project, location of a supplier, plan of a warehouse, etc.

Data and Data Models

Another view what data and databases are:

- Data: given facts from which additional facts can be inferred (by DBMS responding to a request).
- Logically, given facts correspond to true propositions.
- Database: collection of true propositions.

Data and Data Models

SQL products are based on a the relational model of data.

In the relational model

- data is represented by means of rows in tables,
- rows are interpreted as true propositions,
- operators are provided for operating on rows,
- operators support the process of inferring additional true propositions from the given ones.

Data and Data Models

Data Model

- An abstract, self-contained, logical definition of the objects, operators, etc. that together constitute the abstract machine with which users interact.
- The objects allow us to model the structure of data.
- The operators allow us to model its behavior.

Model vs Implementation:

- Model is what the users have to know about,
- Implementation is what the users do not have to know about.

Outline

Why to Use Database

The advantages of a database system over paper-based methods of bookkeeping:

Why to Use Database

The advantages of a database system over paper-based methods of bookkeeping:

- Compactness: No need in paper files.

Why to Use Database

The advantages of a database system over paper-based methods of bookkeeping:

- Compactness: No need in paper files.
- Speed: Machine is faster in retrieval than a human.

Why to Use Database

The advantages of a database system over paper-based methods of bookkeeping:

- Compactness: No need in paper files.
- Speed: Machine is faster in retrieval than a human.
- Less drudgery: Mechanical tasks (maintaining files etc.) are better done by machines.

Why to Use Database

The advantages of a database system over paper-based methods of bookkeeping:

- Compactness: No need in paper files.
- Speed: Machine is faster in retrieval than a human.
- Less drudgery: Mechanical tasks (maintaining files etc.) are better done by machines.
- Currency: Up-to-date information is available on demand at any time.

Why to Use Database

The advantages of a database system over paper-based methods of bookkeeping:

- Compactness: No need in paper files.
- Speed: Machine is faster in retrieval than a human.
- Less drudgery: Mechanical tasks (maintaining files etc.) are better done by machines.
- Currency: Up-to-date information is available on demand at any time.
- Protection: The data can be better protected against unintentional loss and unlawful access.

Why to Use Database

The advantages of a database system over paper-based methods of bookkeeping:

- Compactness: No need in paper files.
- Speed: Machine is faster in retrieval than a human.
- Less drudgery: Mechanical tasks (maintaining files etc.) are better done by machines.
- Currency: Up-to-date information is available on demand at any time.
- Protection: The data can be better protected against unintentional loss and unlawful access.

One more advantage in a multi-user environment:

Why to Use Database

The advantages of a database system over paper-based methods of bookkeeping:

- Compactness: No need in paper files.
- Speed: Machine is faster in retrieval than a human.
- Less drudgery: Mechanical tasks (maintaining files etc.) are better done by machines.
- Currency: Up-to-date information is available on demand at any time.
- Protection: The data can be better protected against unintentional loss and unlawful access.

One more advantage in a multi-user environment:

- The database system provides the enterprize with centralized control of its data.

Data Administration and Database Administration

- Data administrator
- Database administrator (DBA)

Data Administration and Database Administration

- Data administrator
  - A person who has the central responsibility for the data.
  - Senior manager, not a technician (although familiar with the database system capabilities at a technical level).
  - Decides what data should be stored, establishes policies for maintaining and dealing with data.
- Database administrator (DBA)

Data Administration and Database Administration

- Data administrator
  - A person who has the central responsibility for the data.
  - Senior manager, not a technician (although familiar with the database system capabilities at a technical level).
  - Decides what data should be stored, establishes policies for maintaining and dealing with data.
- Database administrator (DBA)
  - A technical person responsible for implementing data administrator's decisions.
  - An IT specialist.
  - Creates databases, puts in place the technical controls needed to enforce data administrator's policy decisions.
  - May have a staff of programmers and technical assistants.

Advantages of Centralized Control

- The data can be shared.
- Redundancy can be reduced.
- Inconsistency can be avoided (to some extent).
- Transition support can be provided.
- Integrity can be maintained.
- Security can be enforced.
- Conflicting requirements can be balanced.
- Standards can be enforced.
- Data independence can be provided.

Outline

Data Independence

- Two kinds of data independence: Physical and logical.
- Only physical data independence in this lecture.

Data Dependence

- An application is data-dependent, if the physical representation of the data and (physical) access techniques can not be changed without affecting the application.
- Extremely undesirable property.

Data Independence

- Data independence: the immunity of applications to change in physical representation and access techniques.
- What kind of changes we wish applications to be immune to?

Data Independence

- Stored fields: smallest unit of stored data.
  - The database will contain many occurrences of each of several types of stored field.
  - Example: a database containing information about different kinds of parts might include a stored field type “part number”, and one occurrence of that stored field for each kind of part.
- Stored record: collection of stored fields.
  - A stored record occurrence consists of related stored field occurrences.
  - Database might contain many occurrences of stored record type.
- Stored file: collection of all currently existing occurrences of one type of stored record.

Data Independence



Data Independence

- In database systems the DBA might change the stored representation of data—stored fields, records, and files.
- Data as seen by applications does not change.

Data Independence

Some aspects of the stores representation that might be subject to change:

- Representation of numerical data.
- Representation of character data.
- Units for numeric data.
- Data coding.
- Data materialization.
- Structure of stored records.
- Structure of stored files.

Data Independence

- Database should be able to grow without impairing existing applications.
- Data independence is one of the reasons to separate data model from data implementation.

Outline

Relational Systems and Others

- Relational system is a system in which
  - the data is perceived by the user as tables,
  - the operators available to the user derive “new” tables from “old” ones.
- Relation is basically a mathematical term for a table.
- Other systems:
  - Inverted list systems.
  - Hierarchical systems.
  - Network systems.
  - Object and object-relational systems.
  - Multi-dimensional systems.
  - Logic-based (deductive) systems.
  - Semistructured systems.

Outline

Summary

- Database system can be thought as a computerized record-keeping system.

Summary

- Database system can be thought as a computerized record-keeping system.
- It involves the data (stored in the database), hardware, software (in particular, DBMS) and users.

Summary

- Database system can be thought as a computerized record-keeping system.
- It involves the data (stored in the database), hardware, software (in particular, DBMS) and users.
- Users can be divided into application programmers, end users, and the DBA.

Summary

- Database system can be thought as a computerized record-keeping system.
- It involves the data (stored in the database), hardware, software (in particular, DBMS) and users.
- Users can be divided into application programmers, end users, and the DBA.
- DBA is responsible for administering the database and the database system with policies established by DA.

Summary

- Databases are integrated and shared.

Summary

- Databases are integrated and shared.
- They are used to store persistent data representing entities and relationships among entities.

Summary

- Databases are integrated and shared.
- They are used to store persistent data representing entities and relationships among entities.
- One of the most important benefit of database systems is data independence.

Summary

- Databases are integrated and shared.
- They are used to store persistent data representing entities and relationships among entities.
- One of the most important benefit of database systems is data independence.
- Data independence requires a sharp distinction between the data model and its implementation.

Summary

- Databases are integrated and shared.
- They are used to store persistent data representing entities and relationships among entities.
- One of the most important benefit of database systems is data independence.
- Data independence requires a sharp distinction between the data model and its implementation.
- Database systems usually support transactions.

Summary

- Databases are integrated and shared.
- They are used to store persistent data representing entities and relationships among entities.
- One of the most important benefit of database systems is data independence.
- Data independence requires a sharp distinction between the data model and its implementation.
- Database systems usually support transactions.
- Transactions are guaranteed to be atomic (all or nothing).

Summary

- Databases are integrated and shared.
- They are used to store persistent data representing entities and relationships among entities.
- One of the most important benefit of database systems is data independence.
- Data independence requires a sharp distinction between the data model and its implementation.
- Database systems usually support transactions.
- Transactions are guaranteed to be atomic (all or nothing).
- Relational systems are based on the relational model.

Exercise

Write SQL statements to perform the following operations on the wine cellar database:

1. Get bin number, name of wine, and number of bottles for all Geyser Peak wines.
2. Get bin number and the name of wine for all wines for which there are more than five bottles in stock.
3. Add three bottles to bin number 30.
4. Remove all Chardonnay from stock.
5. Add an entry for a new case 912 bottles of Gary Farrell Merlot: bin number 55, year 2000, ready in 2005.